



## Collin County Development Services

### FIREWORKS STAND PERMIT APPLICATION

Business Name: \_\_\_\_\_

Address: \_\_\_\_\_

Directions: \_\_\_\_\_

\_\_\_\_\_

Owner's Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_

Power Company: \_\_\_\_\_

Fire District: \_\_\_\_\_

1. All Fireworks Stand applicants must contact the Fire Marshal's office before submitting an application to Development Services.
2. Complete Application in full.
3. Complete 911 Addressing Application
4. The review process will take approximately 3 days to complete, and then you may pick up your permit and begin the inspection process.
5. Please see attached inspection list to be sure you are in compliance upon inspection.

**SITE DRAWING TO INCLUDE:** Structures, public parking, & power poles.

--

Collin County Development Services  
4690 Community Ave., Suite 200, McKinney, Texas 75071  
972-548-5585

REVISED: 8/29/11

# **Fireworks Stand Inspections**

## **ELECTRICAL SERVICE**

- Line: 18" buried underground in conduit
- Master electric switch by EXIT DOOR
- Disconnect on T-Pole to match panel or 20 amp MAX
- If overhead wiring, must meet code

## **WIRING**

- Does all wiring meet current codes and has it passed inspection
- Drop cords/lights
- Extension cords
- Bare wiring

## **GENERATOR POWER**

- Minimum 10 feet from site
- Area around generator cleared
- Fuel stored in approved container
- Minimum 6 B-C fire extinguisher

## **OUTSIDE LIGHTING**

- UL approved
- Secured and properly mounted
- Temporary wire suspended by means other than itself
- Switch able service

If you have any questions or concerns, please contact our office at 972-548-5585.